

1965

REGISTRATION FORM FOR THE 1968 EDITION OF THE PRACTICAL HANDBOOK OF THE AMERICAN POLICE

Root Unif. 1" dia., Felted Blue and Taner White in sets, Root Metal Comb - 1.5" long
appressed felt, City Blue - 1" x 3" sup. felt, Felted Blue - 1" x 1.5" sup. felt, Taner
White - Taner Blue through 6" rectangular felt love try crack diamond bordered through
3" wide diamond frame.

WILCO CITY INDEPENDENCE WATER SEM. 1968

West Union, City Race, Factory Race and Ternor Ditch in cfs, East Union Canal - 1.5' x 3' raised Weir, City Race - 1' x 3' Sup. Weir, Factory Race - 1' x 3' Sup. Weir, Ternor - Ternor Race through 6' rectangular Weir less Dry Creek diversion measured through wide Parshall flume.

East Union	Factory Race	City Race	Ternor	East Union	Factory Race	City Race	Ternor	East Union	Factory Race	City Race	Ternor
Cape cfs	cfs	Cape cfs	cfs	Cape cfs	cfs	Cape cfs	cfs	Cape cfs	cfs	Cape cfs	cfs
.46	8.3	.32	7.8	30	4.7	9.7	31.0	.94	17.5	.76	7.8
.46	8.3	.32	7.8	30	4.7	9.7	31.0	.94	17.5	.76	7.8
.46	8.3	.32	8.6	30	4.7	7.2	30.4	.70	21.0	.50	6.0
.48	9.4	.34	8.6	30	4.7	12.3	34.8	.96	17.5	.60	5.4
.50	10.0	.32	7.8	30	4.7	9.6	32.1	.86	13.1	.80	8.5
.54	11.2	.36	9.4	30	4.7	10.3	25.4	.93	18.6	.80	8.5
.56	11.8	.33	10.1	20	4.7	10.3	36.7	.93	18.6	.80	6.5
.56	11.8	.40	10.9	30	4.7	8.4	35.7	.93	15.6	.90	10.2
.56	12.3	.40	10.0	20	4.7	7.9	36.0	.95	18.1	.90	10.2
.56	12.3	.40	10.0	30	4.7	9.0	37.7	.96	18.1	.80	8.5
.56	12.3	.40	10.9	30	4.7	9.6	37.7	.96	19.1	.80	8.5
.58	12.3	.40	10.9	30	4.7	9.6	37.7	.96	18.1	.80	8.5
.58	12.3	.38	10.1	30	4.7	9.0	36.9	.96	18.1	.80	8.5
.58	12.3	.40	10.9	30	4.7	9.0	37.7	.96	15.1	.80	8.5
.58	12.3	.40	10.9	30	4.7	9.6	37.7	.96	18.1	.78	4.1
.58	12.3	.40	10.9	30	4.7	10.0	38.1	.96	18.1	.78	6.1
.58	12.3	.40	10.9	30	4.7	10.0	38.1	.96	18.1	.78	6.1
.58	12.3	.38	7.1	20	2.6	9.6	33.9	.90	16.6	.70	6.5
.64	14.6	.30	7.1	20	2.6	9.6	39.9	.90	26.5	.70	6.5
.64	14.6	.30	7.1	20	2.6	9.6	39.9	.90	12.8	.60	5.4
.65	15.2	.32	7.8	20	2.6	8.4	36.2	.96	12.1	.80	8.5
.65	15.2	.35	8.6	20	2.6	9.0	36.2	.96	17.3	.80	8.5
.65	15.2	.38	7.1	20	2.6	9.0	35.2	.96	18.1	.80	8.5
.66	15.3	.38	7.1	20	2.6	9.0	35.2	.96	18.1	.80	8.5
.66	15.3	.38	7.1	20	2.6	9.0	34.0	.93	18.1	.80	10.2
.66	15.3	.38	7.1	20	2.6	9.0	34.0	.93	18.1	.80	8.5
.66	15.3	.38	7.1	20	2.6	9.0	29.8	.95	18.1	.80	8.5
.66	15.3	.38	7.1	20	2.6	9.0	29.8	.95	18.1	.80	8.5
.66	15.3	.38	7.1	20	2.6	9.0	29.8	.95	18.1	.80	8.5
.66	15.3	.38	7.1	20	2.6	9.0	29.8	.95	18.1	.80	8.5
.66	15.3	.38	7.1	20	2.6	9.0	29.8	.95	18.1	.80	8.5
.66	15.3	.38	7.1	20	2.6	9.0	29.8	.95	18.1	.80	8.5
.66	15.3	.38	7.1	20	2.6	9.0	29.8	.95	18.1	.80	8.5
.66	15.3	.38	7.1	20	2.6	9.0	29.8	.95	18.1	.80	8.5
.66	15.3	.38	7.1	20	2.6	9.0	29.8	.95	18.1	.80	8.5
.66	15.3	.38	7.1	20	2.6	9.0	29.8	.95	18.1	.80	8.5
.66	15.3	.38	7.1	20	2.6	9.0	29.8	.95	18.1	.80	8.5
.66	15.3	.38	7.1	20	2.6	9.0	29.8	.95	18.1	.80	8.5
.66	15.3	.38	7.1	20	2.6	9.0	29.8	.95	18.1	.80	8.5
			8.7					35.5			8.15
1								2060			687

PROVO CITY IRRIGATION WATER JULY, 1965

East Valley, City Race, Gentry Race and Twissel Ditch in cfs. East Valley Canal - 1.5' x 3' Subgrade Ditch, City Race - 1' x 1' Sup. Ditch, Gentry Race - 1' x 12' Sup. Ditch, Twissel Ditch - 12' x 12' Box through 6' rectangular Ditch less Dry Creek elevation measured through a 3' wide baseball diamond.

PROVO CITY IRRIGATION WATER AUGUST, 1965

East Union, City Race, Factory Race and Tanner Ditch in cfs, East Union Canal -
 2'x8' Suppressed Weir, City Race - 1'x8' Sup. Weir, Factory Race - 1'x12' Sup. Weir,
 Tanner Ditch - Tanner Race through 6' rectangular Weir less Dry Creek diversion
 caused through a 3' wide Parshall flume.

S.	East Union		Factory Race		City Race		Tanner Ditch		Total		Combined		Dry Creek	
	Flow	cfs	Flow	cfs	Flow	cfs	Flow	cfs	Flow	cfs	Flow	cfs	Flow	cfs
1	.72	17.4	32	7.3	24	3.4	6.9	15.4	35.6	80	15.4	80	8.5	8.5
2	.72	17.4	32	7.3	24	3.4	6.4	15.0	34	14.0	80	8.5	8.5	
3	.70	16.6	36	9.4	30	4.7	6.6	17.1	34	14.9	80	8.5		
4	.70	16.6	36	9.4	24	3.4	6.4	17.1	34	14.9	80	8.5		
5	.70	16.6	36	9.4	36	3.4	6.6	17.1	34	14.9	80	8.5		
6	.66	15.2	34	8.6	24	3.4	6.4	15.6	30	13.3	80	8.5		
7	.68	15.9	36	9.4	24	3.4	6.4	15.2	35	14.0	80	8.5		
8	.70	16.6	36	9.4	36	3.4	6.6	15.8	34	14.9	80	8.5		
9	.70	16.6	36	9.4	24	3.4	6.4	15.8	34	14.9	80	8.5		
10	.70	16.6	36	9.4	36	3.4	6.6	15.8	34	14.9	80	8.5		
11	.60	13.1	30	7.1	20	2.6	5.6	10.2	34	14.9	80	8.5		
12	.56	11.8	30	7.1	20	2.6	5.6	10.9	34	14.9	80	8.5		
13	.56	11.0	30	10.1	24	2.6	5.8	10.3	32	14.8	80	8.5		
14	.54	11.2	30	9.4	24	2.6	5.3	10.5	30	13.8	80	8.5		
15	.56	11.8	32	7.8	24	2.6	5.3	10.5	30	13.8	80	8.5		
16	.58	12.5	32	7.9	24	2.6	5.0	10.2	30	13.8	80	8.5		
17	.60	13.1	34	8.6	24	3.4	5.3	10.4	30	13.8	80	8.5		
18	.58	12.5	34	8.6	24	3.4	5.3	10.6	30	13.8	80	8.5		
19	.66	13.2	30	7.1	30	4.7	5.3	12.3	32	14.3	80	8.5		
20	.66	15.2	30	7.1	24	3.4	5.3	11.0	30	13.9	80	8.5		
21	.68	15.9	30	7.1	24	3.4	5.3	11.7	30	13.8	80	8.5		
22	.60	13.1	30	7.1	24	3.4	5.3	10.9	30	13.8	80	8.5		
23	.56	11.8	26	5.8	24	3.4	5.3	10.4	20	13.8	80	8.5		
24	.62	13.8	30	7.1	24	3.4	5.3	10.6	30	13.8	80	8.5		
25	.62	13.0	32	7.8	24	3.6	5.3	10.3	30	13.6	80	8.5		
26	.62	13.6	32	7.8	24	3.6	5.3	10.3	30	13.6	80	8.5		
27	.66	15.2	30	7.1	24	3.4	5.3	11.0	30	13.8	80	8.5		
28	.66	15.2	30	7.1	24	3.4	4.8	10.5	78	13.3	80	8.5		
29	.65	15.2	30	7.1	24	3.4	5.5	11.2	78	13.3	76	7.8		
30	.64	14.6	30	7.1	24	3.4	6.4	11.5	84	14.9	80	8.5		
31	.64	14.6	30	7.1	24	3.4	5.3	10.8	80	13.8	80	8.5		
			8.0						31.3			8.49		
al									1969				527	

PROVO CITY ENRICHED WATER SEPTEMBER, 1965

Bect Union, City Race, Factory Race and Towner Ditch in cfs, Bect Union Canal -
 Suppressed Weir, City Race - 1'x2' Sup. Weir, Factory Race - 1'x12' Sup. Weir,
 Ditch - Towner Race through 6' rectangular Weir less Dry Creek diversion measured
 in a 3' wide Hatchall flume.

Bect Ditch	Factory Race		City Race		Towner Ditch		Total		Provo		Corbin.		Dry Creek	
	Gage	cfs/cane	cfs	Gage	cfs	Gage	cfs	Gage	cfs	Gage	cfs	Gage	cfs	Gage
62	13.0	30	7.1			3.0	5.3		30.0	80	13.8	80		8.5
62	13.0	26	6.4			3.0	5.3		29.3	80	13.8	80		8.5
64	14.6	30	7.1	24	3.4	5.3		30.4	80	13.8	80		8.5	
66	15.2	32	7.8	24	3.4	5.3		31.7	80	13.8	80		8.5	
66	15.2	32	7.8			3.4	5.3		31.7	80	13.8	80		8.5
66	15.2	32	7.8			3.4	5.3		31.7	80	13.8	80		8.5
60	13.1	32	7.8			3.4	5.3		30.6	80	13.8	80		8.5
60	13.1	32	7.8			3.4	5.3		29.6	80	13.8	80		8.5
66	15.2	32	7.8	30	6.7	3.3		31.0	72	11.8	80		8.5	
66	15.2	32	7.8	26	3.6	2.8		29.2	70	11.3	80		8.5	
66	15.2	32	7.8	24	3.4	2.8		29.2	70	11.3	80		8.5	
66	15.2	32	7.8			3.4	3.3		29.7	72	11.8	80		8.5
66	15.2	30	7.1			3.4	5.0		30.7	72	11.8	70		6.8
60	13.1	28	6.4			3.4	5.0		27.9	72	11.8	70		6.8
54	11.2	28	6.4			3.4	5.0		23.6	72	11.8	70		6.8
54	11.2	28	6.4	26	3.4	5.0		23.6	72	11.8	70		6.8	
54	11.2	28	6.4	24	3.4	5.0		23.6	72	11.8	70		6.8	
54	11.2	28	7.1			3.4	5.0		26.3	72	11.8	70		6.8
			7.3											
									20.0					
										1607				285

On September 18, sufficient unclaimed water in the Provo River was bypassing 1200
 feet, Utah, that there was no necessity to restrict Provo City diversions or to
 record of the same.

The Dry Creek Ditch Company, under an agreement with Fort Field Ditch Company, re-
 strict stream to Provo River at 860 North in Provo for addition and diversion by Fort
 Field Company below for a 76 hour 45 minute turn on dates and time listed:

1	13	11:38 A. M.	April 29	11:38 P.M.		
1	11	11:38 A. M.	May 22	11:38 P.M.		
3	11	11:38 A. M.	June 14	11:38 P.M.		
7	11	11:38 P. M.	July 19	11:38 A.M.	June 26	11:38 AM
t	11	11:38 P. M.	August 22	11:38 P.M.	July 30	11:38 PM
9	11	11:38 A. M.	Sept. 14	11:38 A.M.	Sept. 26	11:38 AM
or 7	7	11:38 P. M.	October 19	11:38 A.M.		